*This SDS for user in China - Not correspond to the regulation of other regions.



TCI (Shanghai) DEVELOPMENT CO., LTD.

Revision number: 1

Revision date: 09/06/2019 Page 1 of 5

Revision date: 09/06/2019

SAFETY DATA SHEET

1. IDENTIFICATION

Product name: Product code: Company: Address: Responsible Department: Telephone: Fax:	3-Methylstyrene (stabilized with TBC) M0260 TCI (Shanghai) DEVELOPMENT CO., LTD. No.96 Pu Gong Road, Shanghai Chemical Industry Park, Shanghai 201507 China Sales Department +86-(0)21-67121386	
e-mail: Emergency telephone: Revision number:	+86-(0)21-67121385 Sales-CN@TCIchemicals.com 0532-83889090 1	
2. HAZARDS IDENTIFICATIO Classification of the substance		
PHYSICAL HAZARDS Flammable liquids HEALTH HAZARDS	Category 3	
Acute toxicity (Oral) Acute toxicity (Inhalation Skin corrosion/irritation	Category 2	
Serious eye damage/eye Aspiration hazard ENVIRONMENTAL HAZARDS	Category 1	
Acute aquatic hazard Long-term aquatic hazard Label elements Pictograms or hazard symbol		
Signal word	Danger	
Hazard statements	Flammable liquid and vapour May be harmful if swallowed or if inhaled Causes skin irritation	
	Causes serious eye irritation May be fatal if swallowed and enters airways Toxic to aquatic life Toxic to aquatic life with long lasting effects	
Precautionary statements		
[Prevention]	Keep away from heat, sparks, open flames and hot surfacesNo smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid release to the environment. Wash hands and face thoroughly after handling.	
[Response]	Wear protective gloves, eye protection. IF SWALLOWED: Immediately call a POISON CENTER or doctor. Do NOT induce vomiting.	

	TCI (Shanghai) DEVELOPMENT CO., LTD. Revision number: 1 Revision date: 09/06/2019 Page 2 of 5	
	IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice or attention. Take off contaminated clothing and wash it before reuse. IF INHALED: Call a POISON CENTER or doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get	
	medical advice or attention.	
	Call a POISON CENTER or doctor if you feel unwell.	
	In case of fire: Use dry chemical, dry sand or foam to extinguish.	
	Collect spillage.	
[Storage]	Store in a well-ventilated place. Keep cool.	
	Store locked up.	
[Disposal]	Dispose of contents and container in accordance with local, regional, national regulations.	
Other hazards which do not result in classification	May cause polimerization.	

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/mixture:	Substance
Components:	3-Methylstyrene (stabilized with TBC)
Percent:	>97.0%(GC)
CAS RN:	100-80-1
Synonyms:	3-Vinyltoluene (stabilized with TBC)
Chemical Formula:	C9H10

air-tight goggles.

4. FIRST AID MEASURES

Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
Skin contact:	Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.
Eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion:	Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.
Protection of first-aiders:	A rescuer should wear personal protective equipment, such as rubber gloves and air-tight goggles.

5. FIRE-FIGHTING MEASURES

	•
Suitable extinguishing media:	Dry chemical, foam, carbon dioxide.
Unsuitable extinguishing media:	Water (It may scatter and spread fire.)
Specific hazards arising from	This substance may polimerize explosively when heated or involved in a fire.
the chemical:	Container may explode when heated. Combat fire from a sheltered position.
Precautions for firefighters:	Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method according to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Keep containers cool by spraying with water. Eliminate all ignition sources if safe to do so.
Special protective equipment	t When extinguishing fire, be sure to wear personal protective equipment

Special protective equipment When extinguishing fire, be sure to wear personal protective equipment for firefighters:

TCI (Shanghai) DEVELOPMENT CO., LTD. Revision number: 1 Revision date: 09/06/2019 Page 3 of 5

- -

6. ACCIDENTAL RELEASE MEASURES		
Personal precautions,	Use extra personal protective equipment (self-contained breathing apparatus).	
protective equipment and	Keep people away from and upwind of spill/leak. Ensure adequate ventilation.	
emergency procedures:	Entry to non-involved personnel should be controlled around the leakage area by	
Environmental processiones	roping off, etc. Be careful not to let it flow into rivers, etc., since adverse effects on the	
Environmental precautions:	environment are concerned.	
Methods and materials for	Absorb spilled material in dry sand or inert absorbent before recovering it into a	
containment and cleaning	covered container. In case of large amount of spillage, contain a spill by bunding.	
up:	Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.	
Prevention of secondary	Remove all sources of ignition. Fire-extinguishing devices should be prepared in	
hazards:	case of a fire. Use spark-proof tools and explosion-proof equipment.	
7. HANDLING AND STORAG	E	
Precautions for safe handling		
Technical measures:	Handling is performed in a well ventilated place. Wear suitable protective	
	equipment. Prevent generation of vapour or mist. Keep away from	
	heat/sparks/open flame/hot surfacesNo smoking. Take measures to prevent the	
	heat/sparks/open flame/hot surfacesNo smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and	
	heat/sparks/open flame/hot surfacesNo smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling.	
	heat/sparks/open flame/hot surfacesNo smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or	
Advice on safe handling:	heat/sparks/open flame/hot surfacesNo smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling.	
Advice on safe handling: Conditions for safe storage, inc	heat/sparks/open flame/hot surfacesNo smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing.	
0	heat/sparks/open flame/hot surfacesNo smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing.	
Conditions for safe storage, inc	heat/sparks/open flame/hot surfacesNo smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing.	
Conditions for safe storage, inc incompatibilities	heat/sparks/open flame/hot surfacesNo smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing. Iuding any	
Conditions for safe storage, inc incompatibilities	heat/sparks/open flame/hot surfacesNo smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing. Iuding any Keep container tightly closed. Store in a cool, dark and well-ventilated place. Store locked up. Store away from incompatible materials such as oxidizing agents.	
Conditions for safe storage, inc incompatibilities	heat/sparks/open flame/hot surfacesNo smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing. Iuding any Keep container tightly closed. Store in a cool, dark and well-ventilated place. Store locked up.	
<u>Conditions for safe storage, inc</u> <u>incompatibilities</u> Storage conditions:	heat/sparks/open flame/hot surfacesNo smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Wash hands and face thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing. Iuding any Keep container tightly closed. Store in a cool, dark and well-ventilated place. Store locked up. Store away from incompatible materials such as oxidizing agents. Comply with laws.	

Engineering controls: Install a closed system or local exhaust. Also install safety shower and eye bath. Personal protective equipment **Respiratory protection:** Half or full facepiece respirator, self-contained breathing apparatus(SCBA), supplied air respirator, etc. Use respirators approved under appropriate

	government standards and follow local and national regulations.
Hand protection:	Impervious gloves.
Eye protection:	Safety goggles. A face-shield, if the situation requires.
Skin and body protection:	Impervious protective clothing. Protective boots, if the situation requires.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C):	Liquid
Form:	Clear
Colour:	Colorless - Slightly pale yellow
Odour:	Strong Unpleasant
pH:	No data available
Melting point/freezing point:	-77°C
Boiling point/range:	169°C
Flash point:	60°C
Flammability or explosive	
limits:	
Lower:	1.9%
Upper:	6.1%
Vapour pressure:	0.2kPa/20°C
Vapour density:	4.1
Relative density:	0.90
Solubility(ies):	
[Water]	Insoluble
[Other solvents]	
Soluble:	Methanol, Ether, Benzene, Acetone, Ethanol, Heptane
Log Pow:	3.58
Autoignition temperature:	538°C

10. STABILITY AND REACTIVITY

Chemical stability:	Polymerization may occur under the influences of heat, light or on contact with polymerization initiators such as peroxides etc.
Possibility of hazardous reactions:	No special reactivity has been reported.
Conditions to avoid:	Heat, Spark, Open flame, Static discharge, Light
Incompatible materials:	Oxidizing agents, Strong acids, Peroxides, Metal salts
Hazardous decomposition products:	Carbon dioxide, Carbon monoxide

11. TOXICOLOGICAL INFORMATION

Acute Toxicity:	No data available
Skin corrosion/irritation:	No data available
Serious eye	No data available
damage/irritation:	
Germ cell mutagenicity:	sce-hmn-lym 1 mmol/L
Carcinogenicity:	
IARC =	Group 3 (Not classifiable as carcinogenic to humans)
NTP =	No data available
Reproductive toxicity:	No data available
RTECS Number:	WL5075800

12. ECOLOGICAL INFORMATION

No data available
No data available
3.58
No data available
No data available

13. DISPOSAL CONSIDERATIONS

Recycle to process, if possible. Consult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an afterburner and scrubber system. Observe all federal, state and local regulations when disposing of the substance.

14. TRANSPORT INFORMATION

Hazards Class:	Flammable liquid.
UN-No:	2618
Proper shipping name:	Vinyltoluenes, stabilized
Packing group:	III
Marine pollutant	Y

15. REGULATORY INFORMATION

Regulations on the Control over Safety of Dangerous Chemicals (State Council announces on January 26, 2002 and revised on February 16,2011): Safe use and production, the storage of a dangerous chemical, transport, loading and unloading were prescribed.

16. OTHER INFORMATION

The reference company name of written contents

Company:	TCI (Shanghai) DEVELOPMENT CO., LTD.
Address:	No.96 Pu Gong Road, Shanghai Chemical Industry Park, Shanghai 201507 China
Department:	Technical Information Department
Emergency telephone:	0532-83889090
Fax:	+86-(0)21-67121385
ODO	and a full of the second data to the second data and the second second second second second second second second

This SDS was prepared sincerely on the basis of the information we could obtained, however, any warranty shall not be given regarding the data contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. The products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.