*This SDS for user in China - Not correspond to the regulation of other regions.



TCI (Shanghai) DEVELOPMENT CO., LTD.

Revision number: 1

Revision date: 09/06/2019 Page 1 of 4 Revision date: 09/06/2019

SAFETY DATA SHEET

1. IDENTIFICATION

Product name: Product code: Company: Address: Responsible Department: Telephone: Fax: e-mail: Emergency telephone: Revision number:	2-Vinylanthraquinone V0139 TCI (Shanghai) DEVEL No.96 Pu Gong Road, Sales Department +86-(0)21-67121386 +86-(0)21-67121385 Sales-CN@TCIchemic 0532-83889090 1	Shanghai Chemical Industry Park, Shanghai 201507 China
2. HAZARDS IDENTIFICATION Classification of the substance PHYSICAL HAZARDS HEALTH HAZARDS ENVIRONMENTAL HAZARDS Label elements Pictograms or hazard symbol	or mixture	Not classified Not classified Not classified None
Signal word	3	No signal word
Hazard statements		None
Precautionary statements		None
3. COMPOSITION/INFORMATION ON INGREDIENTS Substance/mixture: Substance Components: 2-Vinylanthraquinone Percent: >98.0%(GC) CAS RN: 13388-33-5 Chemical Formula: C16H10O2		

4. FIRST AID MEASURES

Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
Skin contact:	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention.
Eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion:	Get medical advice/attention if you feel unwell. Rinse mouth.
Protection of first-aiders:	A rescuer should wear personal protective equipment, such as rubber gloves and air-tight goggles.

5. FIRE-FIGHTING MEASURES

5. FIRE-FIGHTING MEASURE Suitable extinguishing	Dry chemical, foam, water spray, carbon dioxide.
media:	
Precautions for firefighters:	fire-extinguishing method according to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Remove movable containers if safe to do so.
for firefighters:	t When extinguishing fire, be sure to wear personal protective equipment
6. ACCIDENTAL RELEASE M	
Personal precautions, protective equipment and	Use personal protective equipment. Keep people away from and upwind of spill/leak. Entry to non-involved personnel should be controlled around the leakage
emergency procedures:	area by roping off, etc.
Environmental precautions: Methods and materials for	Prevent product from entering drains. Sweep dust to collect it into an airtight container, taking care not to disperse it.
containment and cleaning up:	Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.
7. HANDLING AND STORAGI Precautions for safe handling	
Technical measures:	Handling is performed in a well ventilated place. Wear suitable protective
	equipment. Prevent dispersion of dust. Wash hands and face thoroughly after handling.
	Use a local exhaust if dust or aerosol will be generated.
Advice on safe handling: Conditions for safe storage, inc	Avoid contact with skin, eyes and clothing. Iuding any
incompatibilities	
Storage conditions:	Keep container tightly closed. Store in a cool and dark place. Store under inert gas.
	Store away from incompatible materials such as oxidizing agents. Light-sensitive, Air-sensitive
Packaging material:	Comply with laws.
8. EXPOSURE CONTROLS / I Engineering controls:	PERSONAL PROTECTION Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath.
8. EXPOSURE CONTROLS / I	PERSONAL PROTECTION Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath.
8. EXPOSURE CONTROLS / I Engineering controls: Personal protective equipme Respiratory protection: Hand protection:	PERSONAL PROTECTION Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. ent Dust respirator. Follow local and national regulations. Protective gloves.
8. EXPOSURE CONTROLS / I Engineering controls: Personal protective equipme Respiratory protection:	PERSONAL PROTECTION Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. ent Dust respirator. Follow local and national regulations.
8. EXPOSURE CONTROLS / I Engineering controls: Personal protective equipme Respiratory protection: Hand protection: Eye protection:	PERSONAL PROTECTION Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. ent Dust respirator. Follow local and national regulations. Protective gloves. Safety glasses. A face-shield, if the situation requires. Protective clothing. Protective boots, if the situation requires.
 8. EXPOSURE CONTROLS / I Engineering controls: Personal protective equipme Respiratory protection: Hand protection: Eye protection: Skin and body protection: 9. PHYSICAL AND CHEMICA Physical state (20°C): 	PERSONAL PROTECTION Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Install a closed system or local exhaust as possible so that workers should not be protective gloves. Safety glasses. A face-shield, if the situation requires. Protective clothing. Protective boots, if the situation requires. PROPERTIES Solid
 8. EXPOSURE CONTROLS / I Engineering controls: Personal protective equipme Respiratory protection: Hand protection: Eye protection: Skin and body protection: 9. PHYSICAL AND CHEMICA Physical state (20°C): Form: Colour: 	 PERSONAL PROTECTION Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Install a closed system or local exhaust as possible so that workers should not be exposed directly. Install a closed system or local exhaust as possible so that workers should not be exposed directly. Install a closed system or local and national regulations. Protective gloves. Safety glasses. A face-shield, if the situation requires. Protective clothing. Protective boots, if the situation requires. Install a closed system or local exhaust as possible to the situation requires. Install a closed system or local exhaust as possible to the situation requires. Install a closed system or local exhaust as possible to the situation requires. Install a closed system or local exhaust as possible to the situation requires. Install a closed system or local exhaust as possible to the situation requires. Install a closed system or local exhaust as possible to the situation requires. Ins
 8. EXPOSURE CONTROLS / I Engineering controls: Personal protective equipme Respiratory protection: Hand protection: Eye protection: Skin and body protection: 9. PHYSICAL AND CHEMICA Physical state (20°C): Form: Colour: Odour: 	PERSONAL PROTECTION Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Protective gloves. Safety glasses. A face-shield, if the situation requires. Protective clothing. Protective boots, if the situation requires. Protective clothing. Protective boots, if the situation requires. PROPERTIES Solid Crystal - Powder Very pale yellow - Yellow No data available
 8. EXPOSURE CONTROLS / I Engineering controls: Personal protective equipme Respiratory protection: Hand protection: Eye protection: Skin and body protection: 9. PHYSICAL AND CHEMICA Physical state (20°C): Form: Colour: Odour: pH: Melting point/freezing point: 	PERSONAL PROTECTION Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Install a closed system or local and national regulations. Install respirator. Follow local and national regulations. Protective gloves. Safety glasses. A face-shield, if the situation requires. Protective clothing. Protective boots, if the situation requires. Protective clothing. Protective boots, if the situation requires. PROPERTIES Solid Crystal - Powder Very pale yellow - Yellow No data available No data available 177°C
 8. EXPOSURE CONTROLS / I Engineering controls: Personal protective equipmer Respiratory protection: Hand protection: Eye protection: Skin and body protection: 9. PHYSICAL AND CHEMICA Physical state (20°C): Form: Colour: Odour: pH: Melting point/freezing point: Boiling point/range: 	 PERSONAL PROTECTION Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Dust respirator. Follow local and national regulations. Protective gloves. Safety glasses. A face-shield, if the situation requires. Protective clothing. Protective boots, if the situation requires. Experimental Protective boots, if the situation requires. Solid Crystal - Powder Very pale yellow - Yellow No data available No data available
 8. EXPOSURE CONTROLS / I Engineering controls: Personal protective equipmer Respiratory protection: Hand protection: Eye protection: Skin and body protection: 9. PHYSICAL AND CHEMICA Physical state (20°C): Form: Colour: Odour: pH: Melting point/freezing point: Boiling point/range: Flash point: Flammability or explosive 	PERSONAL PROTECTION Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Protective gloves. Safety glasses. A face-shield, if the situation requires. Protective clothing. Protective boots, if the situation requires. Protective clothing. Protective boots, if the situation requires. Protective all a powder Very pale yellow - Yellow No data available No data available No data available No data available
 8. EXPOSURE CONTROLS / I Engineering controls: Personal protective equipmer Respiratory protection: Hand protection: Eye protection: Skin and body protection: 9. PHYSICAL AND CHEMICA Physical state (20°C): Form: Colour: Odour: pH: Melting point/freezing point: Boiling point/range: Flash point: 	PERSONAL PROTECTION Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Protective gloves. Safety glasses. A face-shield, if the situation requires. Protective clothing. Protective boots, if the situation requires. Protective clothing. Protective boots, if the situation requires. Protective all a powder Very pale yellow - Yellow No data available No data available No data available No data available
 8. EXPOSURE CONTROLS / I Engineering controls: Personal protective equipmer Respiratory protection: Hand protection: Eye protection: Skin and body protection: 9. PHYSICAL AND CHEMICA Physical state (20°C): Form: Colour: Odour: pH: Melting point/freezing point: Boiling point/freezing point: Boiling point/range: Flash point: Flammability or explosive limits: Lower: Upper: 	 PERSONAL PROTECTION Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Dust respirator. Follow local and national regulations. Protective gloves. Safety glasses. A face-shield, if the situation requires. Protective clothing. Protective boots, if the situation requires. Properties Solid Crystal - Powder Very pale yellow - Yellow No data available No data available No data available No data available
 8. EXPOSURE CONTROLS / I Engineering controls: Personal protective equipmer Respiratory protection: Hand protection: Eye protection: Skin and body protection: 9. PHYSICAL AND CHEMICA Physical state (20°C): Form: Colour: Odour: pH: Melting point/freezing point: Boiling point/freezing point: Flammability or explosive limits: Lower: 	 PERSONAL PROTECTION Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Inst methods and national regulations. Protective gloves. Safety glasses. A face-shield, if the situation requires. Protective clothing. Protective boots, if the situation requires. Protective clothing. Protective boots, if the situation requires. Solid Crystal - Powder Very pale yellow - Yellow No data available No data available No data available
8. EXPOSURE CONTROLS / I Engineering controls: Personal protective equipmer Respiratory protection: Hand protection: Eye protection: Skin and body protection: Skin and body protection: 9. PHYSICAL AND CHEMICA Physical state (20°C): Form: Colour: Odour: pH: Melting point/freezing point: Boiling point/freezing point: Boiling point/range: Flash point: Flammability or explosive limits: Lower: Upper: Relative density: Solubility(ies): [Water]	 PERSONAL PROTECTION Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Dust respirator. Follow local and national regulations. Protective gloves. Safety glasses. A face-shield, if the situation requires. Protective clothing. Protective boots, if the situation requires. Properties Solid Crystal - Powder Very pale yellow - Yellow No data available No data available No data available No data available
 8. EXPOSURE CONTROLS / I Engineering controls: Personal protective equipmer Respiratory protection: Hand protection: Eye protection: Skin and body protection: 9. PHYSICAL AND CHEMICA Physical state (20°C): Form: Colour: Odour: pH: Melting point/freezing point: Boiling point/freezing point: Boiling point/range: Flash point: Flammability or explosive limits: Lower: Upper: Relative density: Solubility(ies): 	 PERSONAL PROTECTION Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Install a closed system or local and national regulations. Protective gloves. Safety glasses. A face-shield, if the situation requires. Protective clothing. Protective boots, if the situation requires. PROPERTIES Solid Crystal - Powder Very pale yellow - Yellow No data available

10. STABILITY AND REACTIVITY

Chemical stability:	Stable under proper conditions.
Possibility of hazardous	No special reactivity has been reported.
reactions:	
Incompatible materials:	Oxidizing agents
Hazardous decomposition	Carbon dioxide, Carbon monoxide
products:	

11. TOXICOLOGICAL INFORMATION

Acute Toxicity:	No data available
Skin corrosion/irritation:	No data available
Serious eye	No data available
damage/irritation:	
Germ cell mutagenicity:	No data available
Carcinogenicity:	
IARC =	No data available
NTP =	No data available
Reproductive toxicity:	No data available

12. ECOLOGICAL INFORMATION

No data available
No data available
No data available
No data available
No data available

13. DISPOSAL CONSIDERATIONS

Recycle to process, if possible. Consult your local regional authorities. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. Observe all federal, state and local regulations when disposing of the substance.

14. TRANSPORT INFORMATION

Hazards Class:	Does not correspond to the classification standard of the United Nations
UN-No:	Not listed

15. REGULATORY INFORMATION

Regulations on the Control over Safety of Dangerous Chemicals (State Council announces on January 26, 2002 and revised on February 16,2011): Safe use and production, the storage of a dangerous chemical, transport, loading and unloading were prescribed.

16. OTHER INFORMATION

The reference company name of written contents Company: TCI (Shanghai) DEVELOPMENT CO., LTD. Address: No.96 Pu Gong Road, Shanghai Chemical Industry Park, Shanghai 201507 China Department: Technical Information Department Emergency telephone: 0532-83889090 Fax: +86-(0)21-67121385 This SDS was prepared sincerely on the basis of the information we could obtained, however, any warranty shall not be given regarding the data

contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. The products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.