\*This SDS for user in China - Not correspond to the regulation of other regions.



TCI (Shanghai) DEVELOPMENT CO., LTD.

Revision number: 2

Revision date: 09/05/2019 Page 1 of 4 Revision date: 09/05/2019

## Revision dat

# SAFETY DATA SHEET

## **1. IDENTIFICATION**

Product name:	Triallyl Phosphate
Product code:	P0264
Company:	TCI (Shanghai) DEVELOPMENT CO., LTD.
Address:	No.96 Pu Gong Road, Shanghai Chemical Industry Park, Shanghai 201507 China
Responsible Department:	Sales Department
Telephone:	+86-(0)21-67121386
Fax:	+86-(0)21-67121385
e-mail:	Sales-CN@TCIchemicals.com
Emergency telephone:	0532-83889090
Revision number:	2
2. HAZARDS IDENTIFICATIO	N
Classification of the substance	e or mixture
PHYSICAL HAZARDS	Not classified
HEALTH HAZARDS	Not classified
ENVIRONMENTAL HAZARDS	Not classified
Label elements	

Label elements Pictograms or hazard symbols Signal word Hazard statements Precautionary statements

None No signal word None None

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance
Triallyl Phosphate
>96.0%(GC)
1623-19-4
Phosphoric Acid Triallyl Ester
C9H15O4P

# 4. FIRST AID MEASURES

Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Get medical advice/attention if you feel unwell.
Remove/Take off immediately all contaminated clothing. Rinse skin with
water/shower. If skin irritation or rash occurs: Get medical advice/attention.
Rinse cautiously with water for several minutes. Remove contact lenses, if present
and easy to do. Continue rinsing. If eye irritation persists: Get medical
advice/attention.
Get medical advice/attention if you feel unwell. Rinse mouth.
A rescuer should wear personal protective equipment, such as rubber gloves and
air-tight goggles.

#### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing	Dry chemical, foam, water spray, carbon dioxide.
media:	
Unsuitable extinguishing	Solid streams of water
media:	
Specific hazards arising from Take care as it may decompose upon combustion or in high temperatures to	
the chemical:	generate poisonous fume.
Precautions for firefighters:	Fire-extinguishing work is done from the windward and the suitable
	fire-extinguishing method according to the surrounding situation is used.
	Uninvolved persons should evacuate to a safe place. In case of fire in the
	surroundings: Remove movable containers if safe to do so.
Special protective equipmen	t When extinguishing fire, be sure to wear personal protective equipment

**Special protective equipment** When extinguishing fire, be sure to wear personal protective equipment for firefighters:

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions,	Use personal protective equipment. Keep people away from and upwind of
protective equipment and	spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be
emergency procedures:	controlled around the leakage area by roping off, etc.
Environmental precautions:	Prevent product from entering drains.
Methods and materials for containment and cleaning	Absorb spilled material in a suitable absorbent (e.g. rag, dry sand, earth, saw-dust). In case of large amount of spillage, contain a spill by bunding. Adhered
up:	or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.
7. HANDLING AND STORAGE	E
Precautions for safe handling	
Technical measures:	Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Wash hands and face thoroughly after handling.
	Use a ventilation, local exhaust if vapour or aerosol will be generated.
Advice on safe handling:	Avoid contact with skin, eyes and clothing.
Conditions for safe storage, incl	uding any
incompatibilities	
Storage conditions:	Keep container tightly closed. Store in a cool and dark place.
-	Store under inert gas.
	Protect from moisture.

Store away from incompatible materials such as oxidizing agents. Moisture-sensitive

Packaging material: Comply with laws.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Engineering controls:** 

Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath.

Personal protective equipmentRespiratory protection:Hand protection:Eye protection:Skin and body protection:Skin and body protection:

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C):	Liquid
Form:	Clear
Colour:	Colorless - Pale yellow
Odour:	No data available
pH:	No data available
Melting point/freezing point:	No data available
Boiling point/range:	113°C /0.5kPa
Flash point:	No data available
Flammability or explosive	
limits:	
Lower:	No data available
Upper:	No data available
Relative density:	1.08
Solubility(ies):	
[Water]	Very slightly soluble
[Other solvents]	No data available
Log Pow:	1.76

### **10. STABILITY AND REACTIVITY**

Chemical stability:	Stable under proper conditions.
Possibility of hazardous	No special reactivity has been reported.
reactions:	
Incompatible materials:	Oxidizing agents
Hazardous decomposition	Carbon dioxide, Carbon monoxide, Phosphorus oxides
products:	

## 11. TOXICOLOGICAL INFORMATION

Acute Toxicity:	ipr-mus LDLo:500 mg/kg
-	ivn-mus LD50:70800 ug/kg
	ihl-rat LC:>890 mg/m <sup>3</sup> /6H
Skin corrosion/irritation:	No data available
Serious eye	No data available
damage/irritation:	
Germ cell mutagenicity:	No data available
Carcinogenicity:	
IARC =	No data available
NTP =	No data available
Reproductive toxicity:	No data available
RTECS Number:	TC8575000

### **12. ECOLOGICAL INFORMATION**

Ecotoxicity:	
Fish:	48h LC50:48 ppm (Oryzias latipes)
Crustacea:	No data available
Algae:	No data available
Persistence / degradability:	0 - 41% (by BOD) , 21 - 43 % (by TOC) , 27 - 45 % (by GC)
Bioaccumulative potential (BCF):	0.1 - 0.9 (conc. 100 ppb) , <1.2 (conc. 10 ppb)
Mobility in soil	
Log Pow:	1.76
Soil adsorption (Koc):	216
Henry's Law (PaM <sup>3</sup> /mol):	5.7 x 10 <sup>-2</sup>

## **13. DISPOSAL CONSIDERATIONS**

Recycle to process, if possible. Consult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an afterburner and scrubber system. Observe all federal, state and local regulations when disposing of the substance.

#### **14. TRANSPORT INFORMATION**

Hazards Class:	Does not correspond to the classification standard of the United Nations
UN-No:	Not listed

## **15. REGULATORY INFORMATION**

Regulations on the Control over Safety of Dangerous Chemicals (State Council announces on January 26, 2002 and revised on February 16,2011): Safe use and production, the storage of a dangerous chemical, transport, loading and unloading were prescribed.

#### **16. OTHER INFORMATION**

The reference company na	ame of written contents
Company:	TCI (Shanghai) DEVELOPMENT CO., LTD.
Address:	No.96 Pu Gong Road, Shanghai Chemical Industry Park, Shanghai 201507 China
Department:	Technical Information Department
Emergency telephone:	0532-83889090
Fax:	+86-(0)21-67121385
This SDS was prepared sincerely on the basis of the information we could obtained, however, any warranty shall not be given regarding the data	

contained and the assessment of hazards and toxicity. Prior to use, please investigate not only the hazards and toxicity information but also the laws and regulations of the organization, area and country where the products are to be used, which shall be given the first priority. The products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of "having unknown hazards and toxicity", which differ greatly depending on the conditions and handling when in use and/or the conditions and duration of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.