

3F, Building Block 2, No. 3400 Gonghexin Road,

Jing'an District - Shanghai 200436, P.R. CHINA 西迪士质量检测技术服务(上海)有限公司

上海市静安区共和新路3400号2幢3层

Tel. 电话: +86 21 68 55 50 32 Fax 传真: +86 21 68 55 50 33 E-mail电子邮件: ctcshanghai@ctcgroupe.com





中国认可 国际互认 检测 TESTING **CNAS L4577**

Page页码 1/4

TEST REPORT 测试报告

Date of Issue 签发日期

2020-12-28

Report No.报告号码: S201213452 1

APPLICANT 申请公司: RAXWELL INDUSTRIAL TECHNOLOGY

(SHANGHAI) CO. LTD瑞氪维尔工业科技(上

海)有限公司 (C41441)

3501, 5F SUNPLUS BUILDING, NO. 1077 ZUCHONGZHI DD PUDONG NEW DISTRICT 上海市浦东新区祖冲之路1077号凌阳大

厦5楼3501 SHANGHAT CHINA

Date of receipt 收样日期:2020-12-23 Testing period 测试周期:2020-12-23

:2020-12-28

Raxwell 无粉一次性丁腈手套 /Raxwell powder free disposable Nitrile Sample description 样品描述:

Test(s) requested 测试要求 :--For CE Marking: Yes

Previous report 前测试报告号码 : EXPRESS加快件 Service 服务类型 Product category 产品类目 Brand / Section 品牌 Product type 产品类型

Season 季节 :FIRST TEST Test stage 测试阶段 End use 最终用途

Supplier name 供应商名称 Factory name工厂名称:--Exported to 出口到 Factory code 工厂代码 :--

1. Conclusion 测试结论:

jason xiong@raxwell.cn

Buyer 买家:

	Tests description 测试名称	<u>Conformity</u> 符合性
1	5.1. Dexterity灵活度	Level 5
2	5.1. Sizing尺寸	None 无
3	5.2. Air Leak Test	Pass 通过
4	5.2. Water Leak Test	Pass 通过
5	Azo dyes - Textile纺织物 禁用偶氮染料	Pass 通过
6	pH - Textile (KCl solution) pH值-纺织品(氯化钾溶液)	Pass 通过

Fail: requirements not met Pass: requirements met None: no requirement for this test N/A: not applicable 通过:符合要求 失败: 不符合要求 无:没有要求 N/A:不适用

Approved by

Henry YAN 严滨

Laboratory Manager

Yvonne MAO 茅璇怡

Senior Analytical Chemical Engineer

The report is issued by CTC Shanghai under its General Conditions printed overleaf. The results shown in this report refer only to the sample (s) Except by special arrangement, the test items will not be retained by CTC Shanghai for more than 3 months. The test report shall not be retained by CTC Shanghai for more than 3 months. The test report shall not be retained by CTC Shanghai except in full, without the written approval of the testing laboratory.

To conclude the conformity to the requirement, the uncertainty of measurement associated to the test results has not been taken into account. 该报告由CTC上海出具,并遵循本实验室所列之基本条款。**该报告中的检测结果仅对送检样品有效。**若无特殊要求,CTC上海对所测样品的保存期限 为3个月。该检测报告应全文引用,未经本实验室的书面许可,任何个人或第三方不得擅自复制使用。 判定该检测报告符合性情况时,未考虑与测试结果相关的测量不确定度。







TEST REPORT

测试报告

Page页码 2/4

Date of Issue 签发日期 2020-12-28

Report No.报告号码: S201213452_1

APPLICANT 申请公司: RAXWELL INDUSTRIAL TECHNOLOGY

(SHANGHAI) CO. LTD瑞氪维尔工业科技(上

海)有限公司 (C41441)

2. Sample description assigned by laboratory 实验室样品描述:

Size 码数 Analyzed product 所测样品 GL0VE

Description 描述

Sample information 样品信息

Whole glove blue nitrile palm(glove)



201213452

The report is issued by CTC Shanghai under its General Conditions printed overleaf. The results shown in this report refer only to the sample (s) test ed. Except by special arrangement, the test items will not be retained by CTC Shanghai for more than 3 months. The test report shall not be reproduced, except in full, without the written approval of the testing laboratory.







TEST REPORT

测试报告

Page页码 3/4

Date of Issue 签发日期 2020-12-28

Report No.报告号码: S201213452_1

APPLICANT 申请公司: RAXWELL INDUSTRIAL TECHNOLOGY

(SHANGHAI) CO. LTD瑞氪维尔工业科技(上

海)有限公司 (C41441)

3. GLOVE/

Whole glove

	Method 方法	Client Requirement 客户要求	Unit 单位	Result 结果	Conformity 符合性
(+) 5.1. Sizing尺寸	GB/T 12624-2009				
Size尺寸				7	
Total length of the glove手套长度			mm	235	
(+) 5.1. Dexterity灵活度	GB/T 12624-2009				
Smallest diameter of the pin picked up能捡起的针的最小直径			mm	5.0	
Performance Level性能等级				5	
• 5.2. Air Leak Test	GB 28881-2012				Pass通过
Glove thickness手套厚度			mm	0.05	
Air pressure used to test测试气压			kPa	3.0	
Result结果		No air bubbles		No air bubbles	
5.2. Water Leak Test	GB 28881-2012				Pass通过
Result结果		No water leak		No water leak	

blue nitrile palm(glove)

	Method 方法	Client Requirement 客户要求	Unit 单位	Result 结果	Conformity 符合性
Azo dyes - Textile纺织物 禁 用偶氮染料	GB/T 17592-2011				Pass通过
Azo dyes禁用偶氮染料		<30	mg/kg	<5	
pH - Textile (KCl solution) pH值−纺织品(氯化钾溶液)	GB/T 12624-2009				Pass通过
pH value pH值		3.5< - <9.5		7.4	

END OF TEST REPORT

- 报告末页 -

(+)CNAS accreditation CNAS 认可

• The test was carried out by external accredited laboratory, not within their accreditation scope. 该项目在分包实验室获认可的能力范围之外。

Table of Performance Level for Glove

Test Item	Performance Level					
rest item	0##	1	2	3	4	5

The report is issued by CTC Shanghai under its General Conditions printed overleaf. The results shown in this report refer only to the sample (s) tested. Except by special arrangement, the test items will not be retained by CTC Shanghai for more than 3 months. The test report shall not be reproduced, except in full, without the written approval of the testing laboratory.

except in full, without the written approval of the testing laboratory.

To conclude the conformity to the requirement, the uncertainty of measurement associated to the test results has not been taken into account.
该报告由CTC上海出具,并遵循本实验室所列之基本条款。**该报告中的检测结果仅对送检样品有效。**若无特殊要求,CTC上海对所测样品的保存期限为3个月。该检测报告应全文引用,未经本实验室的书面许可,任何个人或第三方不得擅自复制使用。
判定该检测报告符合性情况时,未考虑与测试结果相关的测量不确定度。







TEST REPORT

测试报告

Page页码 4/4

Date of Issue 签发日期 2020-12-28

Report No.报告号码: S201213452_1

APPLICANT 申请公司: RAXWELL INDUSTRIAL TECHNOLOGY

(SHANGHAI) CO. LTD瑞氪维尔工业科技(上

海)有限公司 (C41441)

	(4) (3)(4) ()					
Dexterity (EN 420)		11.0	9.5	8.0	6.5	5.0
Diameter of pin (in mm)		11.0	3.5	0.0	0.0	0.0

Performance level 0 means the glove falls below the minimum performance level for the given individual hazard

