\*This SDS for user in China - Not correspond to the regulation of other regions.



TCI (Shanghai) DEVELOPMENT CO., LTD.

Revision number: 1

Revision date: 09/05/2019 Page 1 of 4 Revision date: 09/05/2019

# SAFETY DATA SHEET

### **1. IDENTIFICATION**

1. IDENTIFICATION Product name: Product code: Company: Address: Responsible Department: Telephone: Fax: e-mail: Emergency telephone: Revision number:	Benzoin B0079 TCI (Shanghai) DEVELOPMENT CO., LTD. No.96 Pu Gong Road, Shanghai Chemical Industry Park, Shanghai 201507 China Sales Department +86-(0)21-67121386 +86-(0)21-67121385 Sales-CN@TCIchemicals.com 0532-83889090 1	
2. HAZARDS IDENTIFICATIO Classification of the substance PHYSICAL HAZARDS HEALTH HAZARDS ENVIRONMENTAL HAZARDS Label elements Pictograms or hazard symbol Signal word Hazard statements Precautionary statements	or mixture Not classified Not classified Not classified	
3. COMPOSITION/INFORMAT Substance/mixture: Components: Percent: CAS RN: Synonyms: Chemical Formula:	<b>TON ON INGREDIENTS</b> Substance Benzoin >98.0%(GC) 119-53-9 2-Hydroxy-2-phenylacetophenone , Benzoylphenylcarbinol C <sub>14</sub> H <sub>12</sub> O <sub>2</sub>	
4. FIRST AID MEASURES Inhalation: Skin contact: Eye contact: Ingestion:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell. Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Get medical advice/attention if you feel unwell. Rinse mouth.	
Protection of first-aiders:	A rescuer should wear personal protective equipment, such as rubber gloves and air-tight goggles.	

## **5. FIRE-FIGHTING MEASURES**

5. FIRE-FIGHTING MEASURE	•
Suitable extinguishing	Dry chemical, foam, water spray, carbon dioxide.
media:	· · · · · · · · · · · · · · · · · · ·
Precautions for firefighters:	Fire-extinguishing work is done from the windward and the suitable fire-extinguishing method according to the surrounding situation is used. Uninvolved persons should evacuate to a safe place. In case of fire in the surroundings: Remove movable containers if safe to do so. t When extinguishing fire, be sure to wear personal protective equipment
for firefighters:	
-	
6. ACCIDENTAL RELEASE M	EASURES
Personal precautions,	Use personal protective equipment. Keep people away from and upwind of
protective equipment and	spill/leak. Entry to non-involved personnel should be controlled around the leakage
emergency procedures:	area by roping off, etc.
Environmental precautions:	Prevent product from entering drains.
Methods and materials for	Sweep dust to collect it into an airtight container, taking care not to disperse it.
containment and cleaning	Adhered or collected material should be promptly disposed of, in accordance with
up:	appropriate laws and regulations.
-	
7. HANDLING AND STORAGE	
Precautions for safe handling	
Technical measures:	Handling is performed in a well ventilated place. Wear suitable protective
	equipment. Prevent dispersion of dust. Wash hands and face thoroughly after
	handling.
	Use a local exhaust if dust or aerosol will be generated.
Advice on safe handling:	Avoid contact with skin, eyes and clothing.
Conditions for safe storage, incl	luding any
incompatibilities	Keen container tighthy closed. Stars in a cool and dark place
Storage conditions:	Keep container tightly closed. Store in a cool and dark place.
<b>Backaging material</b>	Store away from incompatible materials such as oxidizing agents. Comply with laws.
Packaging material:	Comply with laws.
8 EXPOSURE CONTROLS/E	PERSONAL PROTECTION
8. EXPOSURE CONTROLS / F	
8. EXPOSURE CONTROLS / F Engineering controls:	Install a closed system or local exhaust as possible so that workers should not be
Engineering controls:	Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath.
Engineering controls: Personal protective equipme	Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. nt
Engineering controls: Personal protective equipme Respiratory protection:	Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. <b>nt</b> Dust respirator. Follow local and national regulations.
Engineering controls: Personal protective equipme Respiratory protection: Hand protection:	Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. <b>Int</b> Dust respirator. Follow local and national regulations. Protective gloves.
Engineering controls: Personal protective equipme Respiratory protection:	Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. <b>nt</b> Dust respirator. Follow local and national regulations.
Engineering controls: Personal protective equipme Respiratory protection: Hand protection: Eye protection: Skin and body protection:	Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Int Dust respirator. Follow local and national regulations. Protective gloves. Safety glasses. A face-shield, if the situation requires. Protective clothing. Protective boots, if the situation requires.
Engineering controls: Personal protective equipme Respiratory protection: Hand protection: Eye protection: Skin and body protection: 9. PHYSICAL AND CHEMICAI	Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Int Dust respirator. Follow local and national regulations. Protective gloves. Safety glasses. A face-shield, if the situation requires. Protective clothing. Protective boots, if the situation requires.
Engineering controls: Personal protective equipme Respiratory protection: Hand protection: Eye protection: Skin and body protection: 9. PHYSICAL AND CHEMICAI Physical state (20°C):	Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Int Dust respirator. Follow local and national regulations. Protective gloves. Safety glasses. A face-shield, if the situation requires. Protective clothing. Protective boots, if the situation requires. PROPERTIES Solid
Engineering controls: Personal protective equipme Respiratory protection: Hand protection: Eye protection: Skin and body protection: 9. PHYSICAL AND CHEMICAI Physical state (20°C): Form:	Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Int Dust respirator. Follow local and national regulations. Protective gloves. Safety glasses. A face-shield, if the situation requires. Protective clothing. Protective boots, if the situation requires. PROPERTIES Solid Crystal - Powder
Engineering controls: Personal protective equipme Respiratory protection: Hand protection: Eye protection: Skin and body protection: 9. PHYSICAL AND CHEMICAI Physical state (20°C): Form: Colour:	Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Int Dust respirator. Follow local and national regulations. Protective gloves. Safety glasses. A face-shield, if the situation requires. Protective clothing. Protective boots, if the situation requires. PROPERTIES Solid Crystal - Powder White - Pale yellow
Engineering controls: Personal protective equipme Respiratory protection: Hand protection: Eye protection: Skin and body protection: 9. PHYSICAL AND CHEMICAI Physical state (20°C): Form: Colour: Odour:	Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Int Dust respirator. Follow local and national regulations. Protective gloves. Safety glasses. A face-shield, if the situation requires. Protective clothing. Protective boots, if the situation requires. PROPERTIES Solid Crystal - Powder White - Pale yellow No data available
Engineering controls: Personal protective equipme Respiratory protection: Hand protection: Eye protection: Skin and body protection: 9. PHYSICAL AND CHEMICAI Physical state (20°C): Form: Colour: Odour: pH:	Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Int Dust respirator. Follow local and national regulations. Protective gloves. Safety glasses. A face-shield, if the situation requires. Protective clothing. Protective boots, if the situation requires. PROPERTIES Solid Crystal - Powder White - Pale yellow No data available No data available
Engineering controls: Personal protective equipme Respiratory protection: Hand protection: Eye protection: Skin and body protection: 9. PHYSICAL AND CHEMICAN Physical state (20°C): Form: Colour: Odour: pH: Melting point/freezing point:	Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Int Dust respirator. Follow local and national regulations. Protective gloves. Safety glasses. A face-shield, if the situation requires. Protective clothing. Protective boots, if the situation requires. PROPERTIES Solid Crystal - Powder White - Pale yellow No data available No data available 134°C
Engineering controls: Personal protective equipme Respiratory protection: Hand protection: Eye protection: Skin and body protection: 9. PHYSICAL AND CHEMICAI Physical state (20°C): Form: Colour: Odour: pH: Melting point/freezing point: Boiling point/range:	Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Int Dust respirator. Follow local and national regulations. Protective gloves. Safety glasses. A face-shield, if the situation requires. Protective clothing. Protective boots, if the situation requires. PROPERTIES Solid Crystal - Powder White - Pale yellow No data available No data available 134°C 344°C
Engineering controls: Personal protective equipme Respiratory protection: Hand protection: Eye protection: Skin and body protection: 9. PHYSICAL AND CHEMICAI Physical state (20°C): Form: Colour: Odour: pH: Melting point/freezing point: Boiling point/range: Flash point:	Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Int Dust respirator. Follow local and national regulations. Protective gloves. Safety glasses. A face-shield, if the situation requires. Protective clothing. Protective boots, if the situation requires. PROPERTIES Solid Crystal - Powder White - Pale yellow No data available No data available 134°C
Engineering controls: Personal protective equipme Respiratory protection: Hand protection: Eye protection: Skin and body protection: 9. PHYSICAL AND CHEMICAI Physical state (20°C): Form: Colour: Odour: pH: Melting point/freezing point: Boiling point/range: Flash point: Flammability or explosive	Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Int Dust respirator. Follow local and national regulations. Protective gloves. Safety glasses. A face-shield, if the situation requires. Protective clothing. Protective boots, if the situation requires. PROPERTIES Solid Crystal - Powder White - Pale yellow No data available No data available 134°C 344°C
Engineering controls: Personal protective equipme Respiratory protection: Hand protection: Eye protection: Skin and body protection: 9. PHYSICAL AND CHEMICAL Physical state (20°C): Form: Colour: Odour: pH: Melting point/freezing point: Boiling point/range: Flash point: Flammability or explosive limits:	Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Int Dust respirator. Follow local and national regulations. Protective gloves. Safety glasses. A face-shield, if the situation requires. Protective clothing. Protective boots, if the situation requires. PROPERTIES Solid Crystal - Powder White - Pale yellow No data available No data available 134°C 344°C No data available
Engineering controls: Personal protective equipme Respiratory protection: Hand protection: Eye protection: Skin and body protection: 9. PHYSICAL AND CHEMICAI Physical state (20°C): Form: Colour: Odour: pH: Melting point/freezing point: Boiling point/range: Flash point: Flammability or explosive limits: Lower:	Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Int Dust respirator. Follow local and national regulations. Protective gloves. Safety glasses. A face-shield, if the situation requires. Protective clothing. Protective boots, if the situation requires. PROPERTIES Solid Crystal - Powder White - Pale yellow No data available No data available No data available No data available
Engineering controls: Personal protective equipme Respiratory protection: Hand protection: Eye protection: Skin and body protection: 9. PHYSICAL AND CHEMICAI Physical state (20°C): Form: Colour: Odour: pH: Melting point/freezing point: Boiling point/range: Flash point: Flammability or explosive limits: Lower: Upper:	Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. <b>nt</b> Dust respirator. Follow local and national regulations. Protective gloves. Safety glasses. A face-shield, if the situation requires. Protective clothing. Protective boots, if the situation requires. <b>PROPERTIES</b> Solid Crystal - Powder White - Pale yellow No data available No data available No data available No data available No data available
Engineering controls: Personal protective equipme Respiratory protection: Hand protection: Eye protection: Skin and body protection: 9. PHYSICAL AND CHEMICAN Physical state (20°C): Form: Colour: Odour: pH: Melting point/freezing point: Boiling point/range: Flash point: Flammability or explosive limits: Lower: Upper: Relative density:	Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. Int Dust respirator. Follow local and national regulations. Protective gloves. Safety glasses. A face-shield, if the situation requires. Protective clothing. Protective boots, if the situation requires. PROPERTIES Solid Crystal - Powder White - Pale yellow No data available No data available No data available No data available
Engineering controls: Personal protective equipme Respiratory protection: Hand protection: Eye protection: Skin and body protection: 9. PHYSICAL AND CHEMICAN Physical state (20°C): Form: Colour: Odour: pH: Melting point/freezing point: Boiling point/range: Flash point: Flammability or explosive limits: Lower: Upper: Relative density: Solubility(ies):	Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. <b>nt</b> Dust respirator. Follow local and national regulations. Protective gloves. Safety glasses. A face-shield, if the situation requires. Protective clothing. Protective boots, if the situation requires. <b>PROPERTIES</b> Solid Crystal - Powder White - Pale yellow No data available No data available
Engineering controls: Personal protective equipme Respiratory protection: Hand protection: Eye protection: Skin and body protection: 9. PHYSICAL AND CHEMICAN Physical state (20°C): Form: Colour: Odour: pH: Melting point/freezing point: Boiling point/range: Flash point: Flammability or explosive limits: Lower: Upper: Relative density: Solubility(ies): [Water]	Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. <b>nt</b> Dust respirator. Follow local and national regulations. Protective gloves. Safety glasses. A face-shield, if the situation requires. Protective clothing. Protective boots, if the situation requires. <b>PROPERTIES</b> Solid Crystal - Powder White - Pale yellow No data available No data available
Engineering controls: Personal protective equipme Respiratory protection: Hand protection: Eye protection: Skin and body protection: 9. PHYSICAL AND CHEMICAN Physical state (20°C): Form: Colour: Odour: pH: Melting point/freezing point: Boiling point/range: Flash point: Flammability or explosive limits: Lower: Upper: Relative density: Solubility(ies):	Install a closed system or local exhaust as possible so that workers should not be exposed directly. Also install safety shower and eye bath. <b>nt</b> Dust respirator. Follow local and national regulations. Protective gloves. Safety glasses. A face-shield, if the situation requires. Protective clothing. Protective boots, if the situation requires. <b>PROPERTIES</b> Solid Crystal - Powder White - Pale yellow No data available No data available

#### **10. STABILITY AND REACTIVITY**

Chemical stability:	Stable under proper conditions.
Possibility of hazardous	No special reactivity has been reported.
reactions:	
Incompatible materials:	Oxidizing agents
Hazardous decomposition	Carbon dioxide, Carbon monoxide
products:	

#### **11. TOXICOLOGICAL INFORMATION**

Acute Toxicity:	No data available
Skin corrosion/irritation:	No data available
Serious eye	No data available
damage/irritation:	
Germ cell mutagenicity:	No data available
Carcinogenicity:	
IARC =	No data available
NTP =	No data available
Reproductive toxicity:	No data available
RTECS Number:	DI1590000

#### **12. ECOLOGICAL INFORMATION**

Ecotoxicity:	
Fish:	No data available
Crustacea:	No data available
Algae:	No data available
Persistence / degradability:	No data available
Bioaccumulative	No data available
potential(BCF):	
Mobility in soil	
Log Pow:	No data available
Soil adsorption (Koc):	No data available
Henry's Law (PaM ³/mol):	No data available

#### **13. DISPOSAL CONSIDERATIONS**

Recycle to process, if possible. Consult your local regional authorities. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. Observe all federal, state and local regulations when disposing of the substance.

#### **14. TRANSPORT INFORMATION**

Hazards Class: UN-No: Does not correspond to the classification standard of the United Nations Not listed

#### **15. REGULATORY INFORMATION**

Regulations on the Control over Safety of Dangerous Chemicals (State Council announces on January 26, 2002 and revised on February 16,2011): Safe use and production, the storage of a dangerous chemical, transport, loading and unloading were prescribed.

#### **16. OTHER INFORMATION**

# The reference company name of written contentsCompany:TCI (Shanghai) DEVELOPMENT CO., LTD.Address:No.96 Pu Gong Road, Shanghai Chemical Industry Park, Shanghai 201507 ChinaDepartment:Technical Information DepartmentEmergency telephone:0532-83889090Fax:+86-(0)21-67121385This SDS was prepared sincerely on the basis of the information we could obtained, however, any warranty shall not be given regarding the data

The products are supposed to be used for being of the internation were the products are to be used, which shall be given the first priority. The products are supposed to be used promptly after purchase in consideration of safety. Some new information or amendments may be added afterwards. If the products are to be used far behind the expected time of use or you have any questions, please feel free to contact us. The stated cautions are for normal handling only. In case of special handling, sufficient care should be taken, in addition to the safety measures suitable for the situation. All chemical products should be treated with the recognition of storage. The products must be handled only by those who are familiar with specialized knowledge and have experience or under the guidance of those specialists throughout use from opening to storage and disposal. Safe usage conditions shall be set up on each user's own responsibility.