# HYLOMAR\*

# **SAFETY DATA SHEET**

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

Hylomar M all grades (Light, Medium and Heavy)

of the mixture

Registration number -

Synonyms None.
SDS number 1

Issue date 07-February-2014

Version number 03

**Revision date** 17-November-2015 **Supersedes date** 02-June-2015

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Non-Setting and Non-Hardening Gasketing Compound.

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

**Manufacturer:** Hylomar Ltd.

Address: Hylo House, Cale Lane, New Springs,

Wigan, Greater Manchester,

UK, WN2 1JT

Telephone number: +44(0)1942 617000

E-mail address: info@hylomar.co.uk

Contact person: Technical Department

1.4. Emergency telephone +1-760-476-3961 (US)

number

Access code: 333544

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

#### Classification according to Regulation (EC) No 1272/2008 as amended

**Physical hazards** 

Flammable liquids Category 2 H225 - Highly flammable liquid and

vapour.

**Health hazards** 

exposure

Serious eye damage/eye irritation Category 2 H319 - Causes serious eye

irritation.

Specific target organ toxicity - single Category 3 narcotic effects H336 - May cause drowsiness or

dizziness.

Hazard summary Highly flammable liquid and vapour. Causes serious eye irritation. May cause drowsiness or

dizziness.

## 2.2. Label elements

# Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Acetone

**Hazard pictograms** 



Signal word Hazard Danger

statements

H225 Highly flammable liquid and vapour.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.

#### **Precautionary statements**

Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P210 Wear protective gloves/protective clothing/eye protection/face protection. P280

Response

Call a POISON CENTRE or doctor/physician if you feel unwell. P312

Storage

Store in a well-ventilated place. Keep cool. P403 + P235

Keep container tightly closed. P233

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Supplemental label EUH066 - Repeated exposure may cause skin dryness or cracking.

Not a PBT or vPvB substance or mixture. information 2.3. Other hazards

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

**General information** 

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
Polyurethane/Polyester					
Mixture	80 - 90				
Acetone	15 - 20	67-64-1	-	606-001-00-8	#
		200-662-2			
Classification:	Flam. Liq. 2;H225, Eye Irrit. 2;H319, STOT SE 3;H336				

#### List of abbreviations and symbols that may be used above

#: This substance has workplace exposure limit(s).

Composition comments All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in

percent by volume. The full text for all H-statements is displayed in section 16.

#### **SECTION 4: First aid measures**

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move into fresh air and keep at rest. If not breathing, give artificial respiration or give oxygen by

trained personnel. Get medical attention if any discomfort continues

Skin contact Take off immediately all contaminated clothing. Wash skin thoroughly with soap and water. If

irritation persists get medical attention.

Eye contact Flush eyes thoroughly with water for at least 15 minutes. Remove any contact lenses. Get medical

attention if any discomfort continues.

Ingestion Rinse mouth thoroughly. Drink a few glasses of water or milk. Get medical attention if any

discomfort continues.

4.2. Most important symptoms and effects, both

acute and delayed

discomfort. Vapours may cause drowsiness and dizziness.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically.

#### **SECTION 5: Firefighting measures**

General fire hazards The product is highly flammable, and explosive vapour/air mixtures may be formed even at normal

room temperatures. Vapours are heavier than air and may travel along the ground to some distant

Irritation of eyes and mucous membranes. Exposed may experience eye tearing, redness, and

source of ignition and flash back.

5.1. Extinguishing media

Suitable extinguishing

media

Water spray, foam, dry powder or carbon dioxide.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising

from the substance or mixture

By heating and fire, harmful vapours/gases may be formed.

5.3. Advice for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Special protective

Selection of respiratory protection for firefighting: follow the general fire precautions indicated in equipment for firefighters

the workplace.

Special fire fighting

procedures

Cool containers exposed to heat with water spray and remove container, if no risk is involved. Prevent runoff from fire control or dilution from entering streams, sewers or drinking water supply.

#### **SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Keep upwind. Ventilate closed spaces before entering them. Avoid inhalation of vapours/spray and contact with skin and eyes. Do not touch damaged containers or spilled material unless wearing

appropriate protective clothing.

For emergency responders Keep unnecessary personnel away. Wear protective clothing as described in Section 8 of this

safety data sheet.

6.2. Environmental precautions Prevent further leakage or spillage if safe to do so. Do not discharge into drains, water courses or

onto the ground.

6.3. Methods and material for

containment and cleaning up

6.4. Reference to other sections

Eliminate all ignition sources. Ventilate the area. Wipe up with absorbent material (e.g. cloth, fleece). Transfer to a container for disposal. Following product recovery, flush area with water. For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

# **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Keep away from sources of ignition - No smoking. Use only outdoors or in a well-ventilated area. Avoid inhalation of vapours/spray and contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet. Avoid prolonged exposure. Wash thoroughly after handling. Wash contaminated clothing before reuse. Observe good industrial hygiene practices. Avoid release to the environment.

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, spark, open flames and other sources of ignition. Store away from incompatible materials.

7.2. Conditions for safe storage, including any

incompatibilities

Non-Setting and Non-Hardening Gasketing Compound. 7.3. Specific end use(s)

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

Occupational exposure limits

**UK. EH40 Workplace Exposure Limits (WELs)** 

Components	Туре	Value	
Acetone (CAS 67-64-1)	STEL	3620 mg/m3	
		1500 ppm	
	TWA	1210 mg/m3	
		500 ppm	

#### EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU

Follow standard monitoring procedures.

Components	Туре	Value	
Acetone (CAS 67-64-1)	TWA	1210 mg/m3	
		500 ppm	

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Recommended

monitoring procedures

Derived no-effect level (DNEL) Not available Predicted no effect Not available.

concentrations (PNECs) 8.2. Exposure controls

Appropriate engineering Provide adequate ventilation. Observe Occupational Exposure Limits and minimise the risk

of inhalation of vapours. Use explosion-proof equipment. controls

Individual protection measures, such as personal protective equipment

**General information** Personal protective equipment should be chosen according to the CEN standards and in

discussion with the supplier of the personal protective equipment.

Eye/face protection If eye contact is likely, safety glasses with side shields or chemical type goggles should be worn.

Skin protection

- Hand protection Wear protective gloves. Butyl rubber gloves are recommended. Breakthrough time >120 min. Be

aware that the liquid may penetrate the gloves. Frequent change is advisable. Suitable gloves can

be recommended by the glove supplier.

- Other Normal work clothing (long sleeved shirts and long pants) is recommended.

**Respiratory protection** In case of inadequate ventilation or risk of inhalation of vapours, use suitable respiratory

equipment with gas filter (type A2). If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where

exposure limits have not been established), an approved respirator must be worn.

Thermal hazards Not applicable.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and

protective equipment to remove contaminants.

**Environmental exposure** 

controls

Environmental manager must be informed of all major releases.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Appearance Blue thixotropic gel.

Physical Liquid.

state Form Thixotropic gel.

Colour Blue.

Odour Sweet. Ethereal.
Odour threshold Not available.

pH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling Not applicable.

range

Flash point Evaporation -17.0 °C (1.4 °F) Closed cup

rate Flammability (solid, Not available. gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Flammability limit - upper 57

(%)

 Vapour pressure
 185 mmHg (20 °C/68 °F)

 Vapour density
 2 (Air = 1) (20 °C/68 °F)

Relative density Heavy grade: 1.10 (20 °C/68 °F)

Medium grade: 1.03 (20 °C/68 °F) Light grade: 0.95 (20 °C/68 °F)

Solubility(ies) Slightly miscible.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot applicable.Explosive propertiesNot available.Oxidizing propertiesNot available.

9.2. Other information

**Explosive limit** Not available.

VOC (Weight %) 25 - 50 (Hylomar Test Method 1.1A Determination of Volatile Matter)

## **SECTION 10: Stability and reactivity**

**10.1. Reactivity**The product is stable and non reactive under normal conditions of use, storage and transport.

10.2. Chemical stability10.3. Possibility of hazardousNo dangerous reaction known under conditions of normal use.

reactions

**10.4. Conditions to avoid** Heat, flames and sparks. Avoid temperatures exceeding the flash point.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous Thermal decomposition or combustion may liberate carbon oxides and other toxic gases

or vapours. decomposition products

## **SECTION 11: Toxicological information**

Occupational exposure to the substance or mixture may cause adverse effects. **General information** 

Information on likely routes of exposure

Inhalation Vapours may cause drowsiness and dizziness. In high concentrations, vapours may be irritating

to the respiratory system.

Prolonged or repeated skin contact may cause drying, cracking, or irritation. Skin contact

Eye contact Causes serious eye irritation.

Ingestion Ingestion may cause irritation and malaise.

**Symptoms** Irritation of eyes and mucous membranes. Vapours may cause drowsiness and dizziness.

Prolonged or repeated skin contact may cause drying, cracking, or irritation.

#### 11.1. Information on toxicological effects

Acute toxicity May cause discomfort if swallowed.

Components **Species Test results** Acetone (CAS 67-64-1) Acute Dermal LD50 Rabbit 20 ml/kg Inhalation LC50 Rat 50 mg/l, 8 Hours Oral LD50 Rat 5800 mg/kg

Skin corrosion/irritation

Prolonged or repeated skin contact may cause drying, cracking, or irritation.

Serious eye damage/eye Causes serious eye irritation.

irritation

Respiratory sensitisation Based on available data, the classification criteria are not met. Skin sensitisation Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met.

Specific target organ toxicity -

single exposure

May cause drowsiness or dizziness.

Specific target organ toxicity - Based on available data, the classification criteria are not met.

repeated exposure

**Aspiration hazard** Based on available data, the classification criteria are not met.

Mixture versus substance

information

Not applicable.

Other information No other specific acute or chronic health impact noted.

# **SECTION 12: Ecological information**

The product is not classified as environmentally hazardous. However, this does not exclude the 12.1. Toxicity

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components **Species Test results** 

Acetone (CAS 67-64-1)

Aquatic

LC50 Fish Fathead minnow (Pimephales promelas) > 100 mg/l, 96 hours

12.2. Persistence and No data available.

degradability

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

-0.24 Acetone (CAS 67-64-1)

**Bioconcentration factor (BCF)** Not available. **12.4. Mobility in soil** No data available.

**Mobility in general** The product is miscible with water. May spread in water systems.

**12.5. Results of PBT**Not a PBT or vPvB substance or mixture.

and vPvB assessment

The product contains volatile organic compounds which have a photochemical ozone creation

potential.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

12.6. Other adverse effects

**Residual waste**Do not discharge into rivers, lakes, mountains, etc. because the product may affect the

environment.

**EU waste code** 16 03 05\*

The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

**Disposal methods/information** Do not discharge into drains, water courses or onto the ground. Collect and reclaim or dispose in

sealed containers at licensed waste disposal site. Dispose of contents/container in accordance

with local/regional/national/international regulations.

**Special precautions** Dispose of in accordance with local regulations.

## **SECTION 14: Transport information**

#### **ADR**

**14.1. UN number** UN1133 **14.2. UN proper shipping** Adhesives

name

14.3. Transport hazard class(es)

Class 3
Subsidiary risk Label(s) 3
Hazard No. (ADR) 33
Tunnel restriction code D/E
14.4. Packing group II
14.5. Environmental hazards No.

**14.6. Special precautions** Read safety instructions, SDS and emergency procedures before handling.

for user

RID

**14.1. UN number** UN1133 **14.2. UN proper shipping** Adhesives

name

14.3. Transport hazard class(es)

Class 3
Subsidiary risk Label(s) 3
14.4. Packing group ||
14.5. Environmental hazards No.

**14.6. Special precautions** Read safety instructions, SDS and emergency procedures before handling.

for user

**ADN** 

**14.1. UN number** UN1133 **14.2. UN proper shipping** Adhesives

name

14.3. Transport hazard class(es)

Class 3
Subsidiary risk Label(s) 3
14.4. Packing group II
14.5. Environmental hazards No.

**14.6. Special precautions** Read safety instructions, SDS and emergency procedures before handling.

for user

IATA

**14.1. UN number** UN1133 **14.2. UN proper shipping** Adhesives

name

# 14.3. Transport hazard class(es)

Class 3
Subsidiary risk Label(s) 3
14.4. Packing group II
14.5. Environmental hazards No.
ERG Code 3L

**14.6. Special precautions** Read safety instructions, SDS and emergency procedures before handling.

for user

**IMDG** 

**14.1. UN number** UN1133 **14.2. UN proper shipping** ADHESIVES

name

14.3. Transport hazard class(es)
Class 3
Subsidiary risk Label(s) 3
14.4. Packing group ||
14.5. Environmental hazards

Marine pollutant No.
EmS F-E, S-D

**14.6. Special precautions** Read safety instructions, SDS and emergency procedures before handling.

for user

**14.7. Transport in bulk** Not applicable.

according to Annex II of Marpol

and the IBC Code

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

#### **Authorisations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Acetone (CAS 67-64-1)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding, as amended

Not listed.

#### Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances

Acetone (CAS 67-64-1)

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Acetone (CAS 67-64-1)

Directive 94/33/EC on the protection of young people at work

Not listed.

Other regulations The product is classified and labelled in accordance with EC directives or respective national laws.

This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006. The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation)

as amended and respective national laws implementing EC directives.

National regulations 15.2. Chemical safety Follow national regulation for work with chemical agents.

No Chemical Safety Assessment has been carried out.

assessment

## **SECTION 16: Other information**

List of abbreviations

DNEL: Derived No-Effect Level.

PNEC: Predicted No-Effect Concentration.

LD50: Lethal Dose, 50%.

LC50: Lethal Concentration, 50%.

References Not available.

Information on evaluation method leading to the classification of mixture

The mixture is classified based on test data for physical hazards. The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if

available. For details, refer to Sections 9, 11 and 12.

Full text of any H-

statements not written out in

full under Sections 2 to 15

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

This SDS contains revisions in

the following section(s):

2, 9, 11, 12.

**Training information** Follow training instructions when handling this material.

**Disclaimer**The information in the sheet was written based on the best knowledge and experience currently

available.